

REQUEST FOR QUOTATION
19H08023K0608
THE EMBASSY OF THE UNITED
STATES OF AMERICA REQUIRES A

Company: _____

To provide the following:

- Please reference *email* when sending offer as:
19H08023K0608 Telecom and Security Equipment for Forensic Medicine Regional Center in Santa Rosa de Copan, Copan
- Provide a quote with **complete name of item, description & delivery**; Quotes should list the items in the same order as listed below.
- Include delivery to Tegucigalpa, Honduras.
- Include delivery date.
- The vendor's offer should include in the total price the cost of transportation, measurements in site and installation if required as well as any additional modifications they require.
- Purchase will be done thru **Government Credit Card** upon approval from requester.

1. TYPE OF CONTRACT:

This contract is issued as Firm-Fixed Price contract.

2. SUPPLIES AND PRICING:

The Contractor shall provide to the U.S. Government the new products in strict compliance with the specifications for the stated *firm fixed price*. In the event of non-compliance with the specifications, the U.S. Government reserves the right to demand correction(s) or reject this requirement in its entirety. Further, the Contractor shall properly perform the deliver to the location set forth under Place of Delivery, of this document. The firm fixed price shall include the products pre-delivery inspection, certificates of origin, operator's manuals, warranty certificates and any other documentation mandated by the destination country.

No additional sums will be payable on account of any escalation in the cost of materials, equipment, or labor, or because of the Contractor's failure to properly estimate or accurately predict these prices or difficulty of achieving the results required by this contract. Nor will the contract price be adjusted on account of fluctuations in the currency exchange rates.

*** Manuals shall be furnished in the English AND Spanish languages.

3. SPECIFICATIONS:

Line Item	Item Description	Qty	Unit Price	Total Price
1	brand name or equal to Cisco Business 350 Series Managed Switches part number SG-350-28P-K9-NA / Switch Administrable de 24 puertos igual o similar al Cisco Business 350 numero de parte SG-350-28P-K9-NA Must comply with the following to be acceptable: -24 10/100/1000 PoE+ ports (4 support 60W PoE) -2 Gigabit copper/SFP combo + 2 SFP ports - 195W PoE power budget	1 unit		
2	brand name or equal to Ubiquitii UniFi Access Point part number UB-UAP-AC-PRO 2.4 Ghz/5.0 Ghz/ Punto de Acceso similar o igual al Ubiquitii UniFi Access Point numero de parte UB-UAP-AC-PRO 2.4 Ghz/5.0 Ghz Must comply with the following to be acceptable:	3 units		

	Wireless Frequency Bands 2.4 GHz, 5 GHz Dual-Band Number of Antennas 3 Wi-Fi Standards Wi-Fi 5 (802.11ac) Wireless Security AES, TKIP, WEP, WPA, WPA-PSK, WPA2 Ports 2 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) PoE+			
3	brand name or equal to FortiGate 60E with 24x7 FortiCare and FortiGuard Unified Threat Protection (UTP) 3 years part number FG-60E / Equipo de Seguridad Perimetral similar o igual al FortiGate 60E con 24x7 FortiCare y FortiGuard Unified Threat Protection (UTP) 3 años numero de parte FG-60E Must comply with the following to be acceptable: Firewall Throughput (1518 / 512 / 64 byte UDP packets) 3 / 3 / 3 Gbps Firewall Latency (64 byte UDP packets) 3 μs Firewall Throughput (Packets Per Second) 4.5 Mpps Total Concurrent Sessions 1.3 Million New Sessions/Sec 30,000 Firewall Policies 5,000 IPSEC VPN Throughput (512 Bytes) 2 Gbps Max G/W to G/W IPSEC Tunnels 200 SSL VPN Throughput 150 Mbps Concurrent SSL VPN Users 100 SSL Inspection Throughput 135 Mbps Threat Prevention Throughput 200	1 unit		

	Mbps Virtual Domain (Systems) 10/10 Power Supplies 100V AC,50-60HZ Service Term 3 Year Support Contract 24x7			
4	Brand name or equal to Grandstream part number UCM 6208 / Planta Telefonica similar o igual a la Grandstream UCM 6208 Must comply with the following to be acceptable" Smb IP pbx with 8 fxo and 2 FXS ports Dual Gigabit RJ45 ports with integrated PoE Plus (IEEE 802.3At-2009 1 CR123A batteries included. security protection using SRTP, TLS and HTTPS	1 unit		
5	Brand name or equal to Grandstream standard Basic IP desktop phone part number GXP1625 / Telefono IP similar o igual al Grandstream numero de parte GXP-1625, must comply with the following to be acceptable: 2 SIP accounts, 2 line keys, 3-way conferencing, 3 XML programmable context-sensitive soft keys Dual-switched 10/100 mbps ports, integrated PoE	4 units		
6	Brand name or equal to Panduit Basic PDU part number PAN-P12B01M/ PDU similar o igual al Panduit PDU Basic numero de parte PAN-P12B01M Must comply with the following to be acceptable:	1 unit		

	Output Connections(12)5-20R Nominal Output Voltage 120V Nominal Input Voltage 100V, 120V Input Connections NEMA 5-20P UL listed			
7	Brand name or equal to Catcom Wall Mount Server Cabinet 9U part number CAT-SMB6509/ Gabinete de 9U para pared similar o igual al Catcom numero de parte CAT-SMB6509 Must comply with the following to be acceptable: Length: 9U Mounting Type Wall Mount Cold-rolled steel With ventilators included	1 unit		
8	Brand name or equal to Panduit Patch Panel part number PAN-NK6PPG24Y/ Panel de distribución similar o igual al Panduit numero de parte PAN-NK6PPG24Y Must comply with the following to be acceptable: Patch Panel Style Flat Performance Level Category 6 Number of Ports 24 Module Type RJ45	1 unit		
9	brand name or equal to Panduit NetKey Jack Module part number NK6TMBU / Conectores RJ45 Cat 6 igual o similar al Panduit NetKey numero de parte NK6TMBU Must comply with the following to be acceptable: Connector Type Jack Module Performance Level Category 6	24 units		

	Termination Style TP Style Body Material ABS/Polycarbonate Contact Material Plated Phosphor Bronze Color Blue			
10	Cat6 RJ45 Ends / Conector macho RJ45 Cat6 Must comply with the following to be acceptable: supports 24 to 26 AWG Connector Type RJ-45 Cable Type CAT6 Color -Transparent	24 units		
11	Brand name or equal to Panduit NetKey Faceplate part number NK2FIWY/ Tapaderas de dos posiciones similar o igual a la Panduit Netkey numero de parte NK2FIWY Must comply with the following to be acceptable: Product Type Faceplate Size 2x4" (WxH) Number of Ports 2 Module Type Keystone RoHS Compliant	10 units		
12	Brand name or equal to Panduit Cat6 Patch Cord 10 ft part number NK6PC10BU / Patch Cord de 10 pies CAT 6 similar o igual a la marca Panduit part number NK6PC10BU Must comply with the following to be acceptable: Connector Type Rj45 Category 6	16 units		

	Cable Construction U/UTP Cable Type Component, Ethernet Color Blue CM grade PVC jacket Connector Gender Male length: 10ft Gauge 24 AWG Standards Met Exceeds all ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E, meets ANSI/TIA-1096-A, meets IEC 60603-7, Supports IEEE 802.3af/802.3at (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications, cULus Listed; UL 1863 and CAN/CSA-C22.2 (UL File E129886), RoHS Compliant			
13	Brand name or equal to Panduit Cat6 Patch Cord 1 ft part number NK6PC1BUY/ patch cord de 1 pie Cat6 similar o igual a la marca Panduit numero de parte NK6PC1BUY Must comply with the following to be acceptable: Connector Type Rj45 Category 6 Cable Construction U/UTP Cable Type Component, Ethernet Color Blue CM grade PVC jacket Connector Gender Male length: 1ft Gauge 24 AWG Standards Met Exceeds all ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E, meets ANSI/TIA-1096-A, meets IEC	16 units		

	60603-7, Supports IEEE 802.3af/802.3at (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications, cULus Listed; UL 1863 and CAN/CSA-C22.2 (UL File E129886), RoHS Compliant			
14	Black Velcro Roll Cable Management / velcro color negro Must comply with the following to be acceptable: Length 10m Width 20mm Color Black	2 rolls		
15	3/4 in. Universal Strut Pipe Clamp / Abrazadera Riel Strut de 3/4" Must comply with the following to be acceptable: Trade Size (in.) 3/4 Electrical Product Type: Strut Fitting	60 units		
16	brand name or equal to Panduit NetKey UTP Cable Cat6 part number NUC6C04BU-C / Cable UTP CAT 6 similar o igual a Panduit NetKey numero de parte NUC6C04BU-C Must comply with the following to be acceptable: Number of Pairs 4 Conductor Material Copper Conductor Type Solid Overall Length (m) 305 Conductor Gauge (AWG) 24 Insulation Material HDPE	1 box		

17	brand name or equal to APC UPS 1500VA part number BX1500M / UPS de 1500VA igual o similar a APC UPS numero de parte BX1500M Must comply with the following to be acceptable: Battery Power 1500VA / 900W Runtime at 100 watts 1 Hour 8 Minutes Battery/Surge Outlet: 5 / 5 LCD Display: Yes Dataline Surge Guard: Coaxial & RJ-45 Voltage Regulation: Yes	1 unit		
18	Junction Box PVC 4 in x 4 in / Cajas de registro de PVC de 4x4"	40 units		
19	Brand name or equal Fischer Size 10 anchor/ Taco tamaño 10 similar o igual a Fischer S10	120 units		
20	Screw Size 10 for Fischer Anchor / Tornillo 10 para taco	120 units		
21	3/4 EMT connector -Conector Emt De Tornillo ¾ Must comply with the following to be acceptable Made of galvanized steel UL listed	90 units		
22	3/4" Coupling EMT – Union lisa de EMT 3/4 Must comply with the following to be acceptable Made of galvanized steel	60 units		

	UL listed			
23	1 5/8" x 1 5/8" x 10 ft. Strut Channel/ Riel Strut de 1 5/8" x 1 5/8" x 10 pies Must comply with the following to be acceptable Product Height (in.) 1 5/8 Product Length (ft.) 10 ft Product Width (in.) 1 5/8 Electrical Product Type Strut Channel UL certified	6 units		
24	M10, zinc, round, washer / arandelas M10, redondas, chapado en zinc	80 units		
25	1/2" White Self adhesive cable trunking / Canaletas blanca con adhesivo de 1/2"	24 units		
26	EMT Tube 3/4x10/Tubo EMT -3/4 x 10' Must comply with the following: Conduit type: Metallic Material: Galvanized Steel Size: 1/2in	40 units		
27	brand name or equal to Plastic Junction Box 6 in. x 6 in. x 4 in. / Caja de plastic de 6x6x4" UL listed	6 units		
28	2 in. x 4 in Plastic Electrical Box /Caja superficial de 2x4 plastica"	40 units		

29	<p>Adhesive brand name or equal to "No mas clavos" / Pegamento igual o similar a "No mas clavos"</p> <p>Must comply with the following to be acceptable size: 353 g Adhesive for use in wood, ceramic, aluminum, concrete, brick, stone, and plastic.</p>	6 units		
30	<p>2 in. x 4 in Plastic Electrical Box /Caja superficial de 2x4 plastica"</p>	10 units		
32	<p>Electrical Box Cover, Square, EMT 4 in x4 in / Tapadera, cuadrada EMT de 4x4"</p>	80 units		
33	<p>3/4in Bushing/ Bushing de 3/4"</p>	50 units		
34	<p>IP PTZ Dome 4MP camera brand name or equal to Epcom part number XPTIE254/ Camara IP PTZ 4MPsimilar o igual a Epcom numero de parte XPTIE254</p> <p>Must comply with the following to be acceptable: Resolution: 4 Megapixel (2560 x 1440). 25X Optical Zoom IR Distance 150m IP66 Audio and alarm Wall Mount included</p>	4 units		

35	<p>IP mini Bullet camera brand name or equal to epcom part number XB-41SH / Camara tipo IP mini bala marca igual o similar a la Epcom numero de parte XB-41SH</p> <p>Must comply with the following to be acceptable: Resolution: 2560 × 1440 (4 MP) Fixed lens: 2.8 mm. 98 ft IR EXIR. Application: IP66.</p>	8 units		
36	<p>IP mini Dome camera brand name or equal to Epcom part XD-41SH/ IP Mini Domo similar o igual a la Epcom part XD-41SH</p> <p>Must comply with the following to be acceptable: Resolution: 2560 × 1440 (4 MP) Fixed lens: 2.8 mm 98 ft IR EXIR. Video compression H.265 IP66</p>	4 units		
37	<p>Brand name or equal to Epcom NVR 16 Channels part number XR-216A/16P(US) / NVR de 16 canales similar o igual al Epcom numero de parte XR-216A/16P(US)</p> <p>Must comply with the following: H.265+</p>	1 unit		

	16 Plug and Play PoE ports 4K video output Up to 8MP recording 2 HDD Slots			
38	<p>Brand name or equal to Samsung Class TU7000 Crystal UHD 4K Smart TV 43" part number UN43TU7000FXZA / Pantalla simila ro igual a la Marca Samsung de 43" TU7000 Crystal UHD 4K Smart TV numero de parte UN43TU7000FXZA</p> <p>Must comply with the following to be acceptable: Screen Size 42.5" Measured Diagonally HDR (High-Dynamic Range) Wi-Fi Connectivity: Yes HDMI Connections 2 USB 1 Ethernet (LAN) Yes</p>	1 unit		
39	<p>TV Wall Support for 43" TV- Soporte para pared para pantalla de 43"</p>	1 unit		
40	<p>brand name or equal to Panduit Pan-Net UTP Cable Cat6 for Exterior use part number PUO6C04BL-CEG / Cable UTP CAT 6 para exteriores similar o igual a Panduit Pan-Net numero de parte PUO6C04BL-CEG</p> <p>Must comply with the following to be acceptable: Environment Outdoor</p>	1 box		

	Performance Level Category 6 Cable Construction U/UTP Resistance Properties UV Resistant Jacket Material High Density Polyethylene Number of Pairs 4 Conductor Material Copper Conductor Type Solid Overall Length (m) 305 Conductor Gauge (AWG) 23 Insulation Material Polyolefin Color Black			
41	4 in. Octagon Electrical Box with 1/2 in. and 3/4 in. knockouts / Caja Octagonal de 4" con agujeros de 1/2" y 3/4" certificada UL Must comply with the following to be acceptable: Product Width (in.) 4 in. x 1-1/2 in. deep Drawn steel construction Knockouts: 1/2 in. and 3/4 in. UL Listed	16 units		
42	HDMI Cable 30 Feet / Cable HDMI 30 pies Must comply with the following to be acceptable: Cable Length 30 feet Cable Type HDMI Color Pure Copper HDMI Cable Compatible Devices Projector , Laptop , TV , Monitor , PC , etc. Connector Gender Male-to-Male	2 units		

	Connector Type Hdmi Data Transfer Rate 18.00 gigabytes_per_second			
43	<p>Biometric Access Control Brand name or equal to ZKTeco part number F22ID/ Control de acceso Biometrico similar o igual a la marca ZKTECO modelo F22ID</p> <p>Must comply with the following to be acceptable: 2.4-inch TFT color screen and Touch keys Fingerprint, ID and Card Reader Full Access Control Features: Anti-passback, access control interface for 3rd party electric lock, door sensor, exit button, alarm Standard Wi-Fi Network interface by TCP/IP or RS485</p>	5 units		
44	<p>Electric Magnetic Lock 600lb for Access Control System/Magnetos de 600lbs para-Sistema de control de acceso</p> <p>Must comply with the following to be acceptable: Holding force:280kg/600LB</p>	5 units		
45	<p>Door Exit Push Button / Botones de acceso tipo pulsador</p> <p>Must comply with the following to be acceptable:</p>	5 units		

	Stainless Steel Plate for Door Access Control System Door Release Switch with Indicator Light			
46	Protection diode for electric magnetic lock/ Diodo protector de magnetos	5 units		
47	2/4" White Self adhesive cable trunking / Canaletas blanca con adhesivo de 2/4"	20 units		
48	Brand name or equal Fischer Size S8 anchor/ Taco tamaño S8 similar o igual a Fischer S8	20 units		
49	Screw Size S8/ Tornillo S8	20 units		
51	Square, EMT 4inx4in box/ Cajas de registro 4x4" EMT Must comply with the following to be acceptable: UL listed	15 units		
51	Hydraulic Arm for Doors/ Brazo hidraulico para Puerta	5 units		
52	6kVA UPS brand name or equal to Forza part number FDC-106K similar o igual a la marca Forza, UPS numero de parte FDC-106K Output power capacity 6.0kWatts / 6.0kVA Nominal Output and Input Voltage 208V Topology Double conversion online	1 unit		

	Waveform: Pure sine wave Voltage: 120V/220V Type of input: Terminal block Type of output: Terminal block Communication: USB / SNMP / RS-232 Visual indicator: LCD status screen Features: Switch Surge protector Voltage protector Voltage regulator Backup battery Current isolation			
52	Delivery date: (please include) _____ days or _____ weeks after awarded			
	TOTAL (Payment thru Credit Card)			

4. WARRANTY:

In accordance with the Contractor's proposal, the subject equipment shall be covered by a standard warranty of 12 months (one year) without limit of hours. It should also cover any defect or deficiency that may occur during normal use. Should provide phone or email technical support during warranty period to resolve questions related to operation of equipment. A written warranty should be provided.

5. PREPARATION FOR DELIVERY:

Any lost or damaged items during shipment shall be replaced by the contractor upon notification.

Packaging and preservation shall be in accordance with (IAW) best commercial practices to enable shipment to destination, without repacking or incurring damage during shipment and handling.

The contractor shall ensure that all items are prepared for safe shipment and include all necessary export approvals, required material data safety sheet, licenses, and paperwork. One copy of the packing list and commercial invoice must accompany the shipment, attached to the outside of the “lead” or number one box/carton/package, or individually attached to the outside of each box/carton/package.

6. MARKING AND SUBMISSION OF DOCUMENTS

All items, boxes and documents shall be clearly marked as follows:

Embajada Americana
Col. San Carlos, Avenida La Paz
RTN 08019999408358
Tegucigalpa, Honduras
PO: 19H08023K0608
ATTN: Ana Carcamo / Marvin Alvarado
Email: carcamag@state.gov

7. DELIVERY SCHEDULE

Delivery Date as soon as possible (ASAP) but not later than (NLT) 45 calendar days from receipt of the award notification.

NOTE: PRODUCT SHALL COME WITH AT LEAST A 1-YEAR WARRANTY AND GUARANTEE OF QUALITY.

8. PLACE FOR DELIVERY:

The contractor is responsible for ensuring delivery of goods to the following address: The Contractor shall consolidate the entire shipment to prevent loss and misdirection. Any lost or damaged items during shipment shall be replaced by the contractor upon notification. Partial shipments are not allowed if NOT approved by the requestor.

Consignee Address:

Consignee: Embajada Americana
PO: 19H08023K0608
Col. San Carlos, Avenida La Paz
Numero de casa #2629
RTN08019999408358
Tegucigalpa M.D.C., Honduras
Paola Arevalo / Marvin Alvarado
Email: arevalopl@state.gov

Address to be delivered:

Exact address will be provided to awardee.

International vendors can offer,

DAP Terms: US Embassy Honduras will support with customs process but not storage fees. Contractor needs to send correct paperwork (Consignee to: US Embassy Honduras, Invoices, packing list, description, item country origin, among others beforehand) and be expedite when information is required to avoid any delays and generate storage fees. Delays or Storage fees due to any wrong documentation from vendor will NOT be paid.

An email will be requested to vendor once awarded of the packing list with original invoice that will provide advance information for Customs clearance purposes. One copy of the packing list and commercial invoice must accompany the shipment, attached to the outside of the “lead” or number one box/carton/package, or individually attached to the outside of each box/carton/package.

If vendor is local, the previous remarks do not apply.

9. CUSTOMS CLEARANCE AND TAX EXEMPTIONS

If applicable, the U.S. Government will assist the Contractor in obtaining customs clearance and tax exemption certificates from the Government of Honduras. The Contractor’s must include and arrange all local, port handling and other fees associated with delivery to the destination.

The Contractor shall comply with license requirements of the Commerce Control List and any Export Administrative Regulations (EAR), which may apply.

EXPORT LICENSE: If an export license is required, delivery shall be forty -five (45) calendar days after receipt of export license, and export license application shall be accomplished expeditiously after award.

10. INSPECTION AND ACCEPTANCE

The Contractor shall provide to the U.S. Government the new products as described in the specifications. Further, the Contractor shall properly perform the pre-delivery inspection on the products and deliver them to the location set forth under place of delivery, of this Statement of Work.

The final inspection and acceptance of all items shall be performed by the U.S. Government upon their delivery at Tegucigalpa, Honduras.

If the items or some item does not fulfill requested technical specifications, INL shall return the items to vendor with no cost to INL Honduras. The vendor shall evaluate and replace returned items with no transportation cost to INL.

INL will have three (3) day to inspect and accept all items after installation has been completed on-site. The designated representative of the US Embassy in Honduras will be responsible for carrying out at least the following checks of the required elements:

- i. Quantities
- ii. Compliance with the offered technical specifications
- iii. Compliance with delivery date
- iv. Correct operation of the required elements

The payment(s) to the Contractor shall be made following satisfactory inspection and acceptance of products by the Office of INL in Tegucigalpa, with credit card.

11.EVALUATION FACTOR:

The following are the evaluation factors for proposals sent by the bidders:

- a. **DESCRIPTION:** Complete description/nomenclature of the item being quoted; Compliance with the requested technical specifications as per Statement of Work.
- b. **PRICE:** For evaluation purposes, the price will be determined by multiplying the offered prices times the quantities stated in the schedule, and arriving at a grand total, including all options, if any.
 - Award will be made to the lowest priced, technically acceptable, responsible quoter.
 - The Government reserves the right to reject quotations that are incomplete, non-compliant with the terms of this solicitation, or that are unreasonably high in price.
 - **Tax Exempted:** Offers should not include tax (process must be tax exempted) Tax Exemption will be sent digitally for your support.
- c. **DELIVERY DATE:** The Government will evaluate that the proposed delivery time frame complies with Delivery Schedule.
- d. **PAYMENT:** Payment thru **Government Purchase Credit Card**. Payment will be processed once the requester has confirmed as complete the delivered items.

NOTE:

Evaluation of Foreign Currency Offers (FEB 2000)

If the Government receives offers in more than one currency, the Government will evaluate offers by converting the foreign currency to United States currency using the exchange rate used by the Embassy in effect as follows:

- a. *For acquisitions conducted using sealed bidding procedures / email offer, on the date of bid opening*
- b. *For acquisitions conducted using negotiation procedures—*
 - *On the date specified for receipt of offers, if award is based on initial offers; otherwise*
 - *On the date specified for receipt of proposal revisions.*

All Quotes must be valid for 90 days from the closing date for this solicitation. No exceptions or qualifications. New equipment ONLY, NO grey market or refurbished

products. Items must be in original packaging, never used, and not altered in any way. Components of the requested equipment, to include memory, must be manufacturer-approved and may not be compatible, remanufactured, or refurbished equipment. All items must be covered by manufacturer's warranty and procured through a manufacturer approved distribution channel. Sellers must be able to document their ability to provide items through manufacturer approved distribution channels upon request.

Your offer must be submitted no later than **Friday June 15, 2023 at 11:00 a.m. (Tegucigalpa, Honduras Time)** via e- mail to arevalopl@state.gov. **After time offers, will not be taken in consideration.**

May 30, 2023

PLEASE FILL PRICES, TOTAL, AND SIGN. THIS REQUEST OF QUOTATION SHOWS YOUR PROOF OF READING AND UNDERSTANDING OF THE BID.